EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	247	(@ad<"20010723").ad. and ((data$1base director$5 list) with (ship$7 with address$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 10:16
S2	257	(@ad<"20010723").ad. and ((data$1base director$5 list) with (ship$7 with address$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:17
S3	1	(@ad<"20010723").ad. and ((data$1base director$5 list) with (ship$7 with address$5)) and (internet or web or on$1line) and acess$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:18
S4	27	(@ad<"20010723").ad. and ((data$1base director$5 list) with (ship$7 with address$5)) with (internet or web or on$1line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:22
S5	130	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) with address$5)) with (internet web on$1line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:37
S6	130	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) with address$5)) with (internet web on$1line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:40
S7	19	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) with address$5)) with (internet web on$1line) and ("shipping address")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:38
S8	2	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) with address$5)) with (internet web on$1line) and (access$5) and (restrict$5 and unrestrict$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:41
S9	2	(@ad<"20010723").ad. and (((data$1base director$5 list) with ((ship$7 deliver$5) with address$5)) with (internet web on$1line)) and (access$5) and (restrict$5 and unrestrict$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:42

S10	2	(@ad<"20010723").ad. and ((((data$1base director$5 list) with ((ship$7 deliver$5) with address$5))) same (internet web on$1line)) and (access$5) and (restrict$5 and unrestrict$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:42
S11	214	(@ad<"20010723").ad. and ((((data$1base director$5 list) with ((ship$7 deliver$5) with address$5))) same (internet web on$1line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:42
S12	53	(@ad<"20010723").ad. and ((((data$1base director$5 list) with ((ship$7) with address$5))) same (internet web on$1line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:42
S13	1	(@ad<"20010723").ad. and ((((data$1base director$5 list) with ((ship$7) with address$5))) same (internet web on$1line)) and ((start$5 begin$5) near5 date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:43
S14	2	(@ad<"20010723").ad. and ((((data$1base director$5 list) with ((ship$7) with address$5))) same (internet web on$1line)) and ((start$5 valid begin$5) near5 date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:43
S15	0	(@ad<"20010723").ad. and ((((data$1base director$5 list) with ((ship$7) with address$5))) same (internet web on$1line)) same ((start$5 valid begin$5) near5 date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:44
S16	3	(@ad<"20010723").ad. and ((((data$1base director$5 list) same ((ship$7) same address$5))) same (internet web on$1line)) same ((start$5 valid begin$5) near5 date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:44
S17	263	(@ad<"20010723").ad. and ((((data$1base director$5 list) same ((ship$7) same address$5))) same (internet web on$1line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:45
S18	257	(@ad<"20010723").ad. and ((data$1base director$5 list) with ship$7 with address$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:45

S19	205	(@ad<"20010723").ad. and ((data$1base director$5 list) with ship$7 with address$5) and (on$1line internet web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:47
S20	53	(@ad<"20010723").ad. and ((data$1base director$5 list) with ship$7 with address$5) same (on$1line internet web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:47
S21	47	(@ad<"20010723").ad. and ((data$1base director$5 list) with ship$7 with address$5) same (on$1line internet web) and shipping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:52
S22	2	(@ad<"20010723").ad. and ((data$1base director$5 list) with ship$7 with address$5) same (on$1line internet web) and shipping and (date near5 (valid invalid start$5 end$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:50
S23	42	(@ad<"20010723").ad. and ((data$1base director$5 list) with ship$7 with address$5) same (on$1line internet web) and shipping and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:04
S24	17	(@ad<"20010723").ad. and ((director$5 list) with ship$7 with address$5) same (on$1line internet web) and shipping and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:54
S25	0	(@ad<"20010723").ad. and ((director$5) with ship$7 with address$5) same (on$1line internet web) and shipping and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:54
S26	370870	(@ad<"20010723").ad. and ((director$5) with ship$7 with address$5) same (on$1line internet web) server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:54
S27	0	(@ad<"20010723").ad. and ((director$5) with ship$7 with address$5) same (on$1line internet web) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:55

S28	0	(@ad<"20010723").ad. and (ship$7 with address$5 with director$5) same (on$1line internet web) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:55
S29	0	(@ad<"20010723").ad. and (ship$7 with address$5 with director$5) same (on$1line internet web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:55
S30	46	(@ad<"20010723").ad. and ((data$1base director$5 list) with ship$7 with address$5) same (on$1line internet web) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:06
S31	42	(@ad<"20010723").ad. and ((data$1base director$5 list) with ship$7 with address$5) same (on$1line internet web) and server and shipping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:13
S32	1	("20020178364").pn. and (unique near5 identi$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:14
S33	1	("20020178364").pn. and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:15
S34	0	("20020178364").pn. and ((dataase regist$5) near5 (index key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:17
S35	1	("20020178364").pn. and ((dataase regist$5 access$5) near5 (index key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:18
S36	0	("20020178364").pn. and ((dataase regist$5 access$5) same (distinc$5 match$5) same (index key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:18
S37	0	("20020178364").pn. and ((distinc$5 match$5) same (index key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:18

S38	1	("20020178364").pn. and ((distinc$5 match$5) same (data regist$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:20
S39	1	("20020178364").pn. and ((key$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 12:20
S40	135	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) with address$5)) with (internet web on$1line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:33
S41	10	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) with address$5)) with (internet web on$1line) and (ship$7 with label)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:34
S42	9	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) with address$5)) with (internet web on$1line) and (ship$7 with label) and (key crypto$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:11
S43	4	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) with address$5)) with (internet web on$1line) and (ship$7 with label) and (key crypto$8) and (date with range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:51
S44	5	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) with (location locale place address$5))) with (internet web on$1line) and (ship$7 with label) and (key crypto$8) and (date with range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:04
S45	2	("6012088").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:05
S46	2	("20020178364").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:05

S47	5	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) with address$5)) with (internet web on$1line) and (ship$7 with label) and (key crypto$8) and (merchant vendor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:35
S48	1	("20020178364").pn. and (valid$8 with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:35
S49	1	("20020178364").pn. and (valid$8 with (location address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:38
S50	1	("20020178364").pn. and ((valid$8 with (location address)) same temporar$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:38
S51	146	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) same address$5)) with (internet web on$1line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 12:30
S52	104	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) same address$5)) with (internet web on$1line) and (link or hyper$1link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 12:31
S53	41	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) same address$5)) with (internet web on$1line) and (link or hyper$1link) and (merchant vendor seller) and (shipper fulfill$5 deliver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 08:57
S54	1	S53 and (valid$5 with date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 12:32

S56	6	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) same address$5)) with (internet web on$1line) and (link or hyper$1link) and (merchant vendor seller) and (shipper fulfill$5 deliver$5) and (date with range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 13:40
S57	0	(@ad<"20010723").ad. and ((data$1base director$5 list) with ((ship$7 deliver$5) same address$5 same (date with range))) with (internet web on$1line) and (link or hyper$1link) and (merchant vendor seller) and (shipper fulfill$5 deliver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 14:14
S58	2	("20020178364").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 14:14
S59	0	("2002/0178364").URPN.	USPAT	OR	OFF	2006/12/04 14:15
S60	0	("2002/0178364").URPN.	USPAT	OR	OFF	2006/12/04 14:15
S61	6532	(@ad<"20010723").ad. and ((data$1base director$5 list) and ((ship$7 deliver$5) and address$5)) and (internet web on$1line) and (link or hyper$1link) and (merchant vendor seller) and (shipper fulfill$5 deliver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 08:58
S62	238	(@ad<"20010723").ad. and ((data$1base director$5 list) and ((ship$7 deliver$5) and address$5)) and (internet web on$1line) and (link or hyper$1link) and (address$5 with label) and (merchant vendor seller) and (shipper fulfill$5 deliver$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 08:58